EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	34	(printer) and (reply\$4) same (e-mail or electronic mail) same (password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 11:30
S2	19	(printer) and (reply\$4) same (e-mail or electronic mail) same (password) and (@ad<"20021128")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 11:33
S3	24	(printer) and (reply\$4 or send\$4) same (e-mail or electronic mail) same (password) same (attachment\$2) and (@ad<"20021128")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 11:35
S4	64	(printer) and (reply\$4 or send\$4) same (e-mail or electronic mail) same (password) same (attachment\$2 or image) and (@ad<"20021128")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 12:30
S5	30	(printer) and (reply\$4 or send\$4 or confirm\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4) near5 (password) and (email or e- mail or electronic mail) same (attachment\$2 or image\$22 and (@ad-"20021128")	US-PGPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 17:41
S6	41	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4) near5 (nassword) and (email or e-mail or electronic mail) same (attachment\$2 or image\$2) and (@ad-"20021128")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OZ	2008/11/05 17:45

S7	41	[printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or setup or set up) neat\$ (password) and (email) or e-mail or electronic mail) same (attachment\$2 or image\$2) and (@ad<*20021128*)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/11/05 17:50
S8	41	(printer) and (reply\$4 or send\$4 or contirm\$4 or transmit\$5 or forward\$4) same (e-mail or electronic mail or email) same (creat\$4 or seled\$4 or choos\$4 or setup or set up) near5 (password) and (email\$4 or electronic mail or mail\$4) same (attachment \$2 or image\$2) and (@ad<*20021128*)	US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 18:11
S9	203801	inoue.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 07:25
S10	847	tawa.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 07:25
S11	3	kangoori.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 07:26
S12	32808	yoshino.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 07:26
S13	1854	omata.in.	US-PGPUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 07:26
S14	4	(password or id) same (address) and (S10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 07:28

S15	2	*6877031*	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/10 07:38
S16	15	(printer) and (reply\$4 or send\$4 or conlim\$4 or transmit\$5 or forward\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$\$4\$ or email\$\$4\$ or e-mail\$\$4\$ or electronic mail\$\$6\$ or mail\$\$4\$ or electronic mail\$\$6\$ or mail\$\$6\$ or electronic mail\$\$6\$ or electronic mail\$\$6\$ or mail\$\$6\$ or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06
S17	15	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or select\$6 or choos\$4 or setup or set up) near5 (password) and (email\$4 or e-mail\$4 or electronic mail or mail\$4) same (attachment \$2 or image\$2) same (password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4) and (@@ad<20021128*)	US-PGPUB; USPAT; FPFS; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2009/05/06
S18	20	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or setup or set up) neat5 (password\$2) and (email\$4 or e-mail\$4 or electronic mail \$4 or mail\$4 or electronic mail \$4 or mail\$54 same (password) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4) and (@ad-2"0021128")	US-PGPUB; USPAT; FPFS; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2009/05/06

S19	23	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or select\$6 or choos\$4 or setup or set up) near5 (password\$2) and (email\$4 or e-mail\$4 or electronic mail\$6 or imail\$6 yame (attach \$6 or image\$2 or file\$2) same (password) same (transmit\$5 or send\$4 or loward\$4 or ecou\$4) and (@adc *2002128*)	US-PGPUB; USPAT; FPPS; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 10:27
S2 0	0	2002/0046247	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 16:05
S21	2	"20020046247"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 16:05
S22	88	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or setup) near5 (password\$2) and (email\$4 or e-mail\$4 or electronic mail\$4 or mail\$4 or editable or email\$4 or editable	US-PGPUB; USPAT; FPPS; EPC; JPC; DETWIBNT; IBM_TDB	ADJ	ON	2009/05/06 16:11
\$23	68	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or selup or set up) near5 (password\$2) and (email\$4 or e-mail\$4 or email\$4 or email\$5 or send\$4 or forward\$4 or read\$4 or forward\$4 or end\$4 or forward\$4 or executive\$4) and (@adc*20021128*) and (attach\$7)	US-PGPUB; USPAT; FPPS; EPC; JPC; DEFWENT; IBM_TDB	ADJ	ON	2009/05/06 16:22

S24	0	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or send\$4 or send\$4 or send\$4 same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or setup or set up) near\$ (password\$2) and (email\$4 or e-mail\$4 or electronic mail\$4 or mail\$4 or mail\$4 or forward\$4 or forw	US-PCP-UB; US-PCT; FPFS; EPC; JPC; DEFWIENT; IBM_TDB	ADJ	O.	2009/05/06 16:26
\$25	O	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or setup or set up) near5 (password\$2) and (email\$4 or email\$4 or email\$4 or email\$4 or mail\$5 or end\$5 or send\$4 or forward\$4 or receiv\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 same (password\$2) near6 (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (password\$2) near6 (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) and (padc-"20021128") and (datach\$7)	US-PGPUB; USPAT; FPPS; EPC; JPC; DEFWENT; IBM_TDB	ADJ	ON	2009/05/06 16:27
S26	3	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or sheat\$4 or select\$4 or choos\$4 or seltup or set up) near\$6 (password\$2) and (email\$4 or e-mail\$4 or electronic mail\$4 or mail\$4 or electronic mail\$4 or mail\$4 or seltup or receiv\$4 or mail\$4 or mail\$6 or seltup or receiv\$4 or mail\$6 or selfup or receiv\$6 or mail\$6 or mail\$6 or ear\$7 or receiv\$6 or mail\$6 or mail\$6 or ear\$7 or receiv\$6 or mail\$6 or mail\$6 or all or every) and (@ad<720021128*) and (attach\$7)	US-POPUB; USPAT; FPPS; EPC; JPC; DEFWENT; IBM_TDB	ADJ	ON	2009/05/06 16:28

S27	9	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4) same (e-mail or electronic mail or email) same (creat\$4 or seled\$4 or setup or set up) near5 (password \$2) and (email\$4 or e-mail\$4 or e-mail\$4 or electronic mail\$4 or e-mail\$4 or electronic mail\$4 or setup or set up) near5 (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) near5 (specified or specific or all or every) and (@ad<"20021128") and (attach\$7")	US-PCPUB; US-PAT; FPRS; EPO; JPO; DETWIENT; IBM_TDB	ADJ	OO	2009/05/06 17:23
S28	0	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or send\$6 or set up. lead or le	US-PGP-UB; USPAT; FPFS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/08 09:27
529	O	(printer) and (reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or send\$4 or send\$4 or receiv\$4) same (e-mail or electronic mail or email or electronic mail or or set up) near5 (password \$2) and (email\$4 or e-mail\$4 or e-mail\$4 or endit\$4 or endit\$4 or endit\$4 or endit\$4 or endit\$4 same (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (each or specific or specific or specific or all or every) near5 (user\$2 or list \$4) same (@ad<"20021128") and (attach\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ÖN	2009/05/08 09:28

S30	0	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or setup or setup or near5 (password\$2) and (email\$4 or e-mail\$4 or mail\$4 or electronic mail\$4 or mail\$4 or select\$6 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (each or specific or all or every) near5 (user\$2 or list\$4) same (@ad<20021128") and (attach\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DEFWIENT; IBM_TDB	ADJ	ON	2009/05/08 09:30
S31	68	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or setup or set up) near5 (password\$2) and (email\$4 or ellectronic mail\$4 or mail\$4 or ellectronic mail\$4 or mail\$4 or mail\$4 or mail\$4 or mail\$4 or specified or specified or specified or specified or specified or specified or all or every) and (@adc-"20021128") and (attach\$7).	US-PGPUB; USPAT; FPPS; EPC; JPC; DEPWENT; IBM_TDB	ADJ	ON	2009/05/09 18:19
S32	12	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or tomtims\$4 or receiv\$4) same (e-mail or electronic mail or email) same (creat\$4 or select\$4 or choos\$4 or setup) near5 (password\$2) and (email\$5 or e-mail\$4 or e-mail\$4 or e-mail\$4 or e-mail\$5 or send\$4 or lorward\$4 or receiv\$4 or mail\$4) same (password\$2) same (transmit\$5 or send\$4 or lorward\$4 or receiv\$4 or mail\$4) same (each or specified or specific or all or every) and (@ad-c"20021128") and (attach\$7) near5 (access\$4 or open\$4 or download\$4)	US POPUB; USPAT; FPFS; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2009/05/09 19:00

\$33	1	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4) same (e-mail or electronic mail or email) same ("with" or includ\$4) near5 (creat\$4 or seled\$4 or choos\$4 or setup or set up) near5 (password\$2) and (email\$4 or e-mail\$4 or electronic mail or email\$4 or electronic mail\$4 or mail\$4 or mail\$4 or send\$6 or specific or all or every) and (@acl-"20021128") and (@acl-"20021128") and (attach\$7) near5 (access\$4	US-PGPUB; USPAT; FPRS; EPC; JPC; DEFWENT; IBM_TDB	ADU	ŌN	2009/05/10 09:14
S34	1	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4 or mail\$4) same (email or email or email\$4 or email\$5 or send\$4 or mail\$5 or send\$4 or icoward\$4 or receiv\$4 or mail\$5 or send\$4 or icoward\$4 or receiv\$4 or mail\$6 or specified or all or every or users or participants) and (@ad<"20021128") and (attach\$7) near5 (access\$4 or open\$4 or download\$4)	US-PGPUB; USPAT; FPRS; EPC; JPO; DEFWENT; IBM_TDB	ADU	ON	2009/05/10 09:17
S35	17	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4 or mail\$4) same (e-mail or electronic mail or email) same ("with" or includ \$4) near5 (creat\$4 or select \$4 or choos\$4 or setup or set up or input\$2 or enter \$2) near5 (password\$2) and (email\$4 or e-mail\$4 or e-mail\$4 or mail\$4 or electronic mail\$4 or end\$4 or constant \$20 near5 (or e-mail\$4 or send\$4 or constant \$20 near5 (or example or specific or all or every or users or participants or	US-PGPUB; USPAT; FPRS; EPO; JPO; DEBWENT; IBM_TDB	ADJ	ON	2009/05/10 09:19

		other) and (@ad< "20021128") and (attach\$7) near5 (access\$4 or open\$4 or download\$4 or transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail \$4)		***************************************	***************************************	
S36	10	(reply\$4 or sent\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or send\$4 or receiv\$4 or mail\$4) same (e-mail or electronic mail or email) same ("with" or includ \$4) neat\$ (forati\$4 or select \$4 or choos\$4 or setup or electronic mail\$4 or electronic mail\$4 or email\$4 or email\$4 or email\$4 or email\$4 or amail\$4 or mail\$4 or specified or sp	US-PAT; FPRS; EPO; JPO; DEFWIENT; IBM_TDB	ADJ	ON	2009/05/10 09:25
S37	4	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4 or mail\$5 or forward\$4 or send\$4 or send\$4 or send\$4 or send\$4 or send\$6 or email or end or en		ADJ	ON	2009/05/10 11:38

		\$4) and (user id or user name) same (password)			***************************************	
338	46	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or enesiv\$4 or mail\$5, same (e-mail or electronic mail or email) same ("with" or includ \$4 or send\$4 or transmit\$5 or mail\$5) near5 (creat\$4 or setlect\$4 or choos\$4 or setlect\$4 or choos\$4 or setlect\$4 or choos\$4 or setlect\$4 or enemit\$5, near5 (password\$2) and (email\$4 or e-mail\$4) or mail\$5, ame (send\$4 or forward\$4 or receiv\$4 or mail\$4) same (each or specified or specific or all or every or users or participants or other) and (@dct="20021128") and (attach\$7) near5 (access\$4 or open\$4 or download\$4 or transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or open\$5 or send\$4 or forward\$4 or open\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 and (user id or user or participants or send\$4 or forward\$4 or receiv\$4 or mail\$4 and (user id or user name) same (password)	US-PAT; FPRS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2009/05/10
539	0	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4 or mail\$5 or forward\$4 or send\$4 or receiv\$4 or mail\$4) same (e-mail or electronic mail or email) same ("with" or includ \$4 or send\$4 or transmit\$5 or mail\$5) near5 (creat\$4 or setup or set up or input\$2 or enter \$2) near5 (password\$2) and (email\$4 or e-mail\$4 or mail\$4) near5 (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (each or specified or specific or all or every or users or participants or other) and ((attach\$7) near5 (access\$4 or open\$4 or download\$4 or transmit\$5 or send\$4 or forward\$4 or send\$4 or other send\$6 or specific or all or every or users or participants or other) and ((attach\$7) near5 (access\$4 or open\$4 or download\$4 or transmit\$5 or send\$4 or mail\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (user id or user name) same (password) and (ili\$4) and (ili\$	US-PGPUB; USPAT; FPPS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2009/05/12

\$40	15	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4 or mail\$4) same (e-mail or electronic mail or email or electronic mail or mail\$5 or mail\$5) near\$5 (creat\$4 or setup or mail\$5) near\$5 (creat\$4 or setup or set up or input\$2 or enter \$2) near\$5 (password\$2) and (email\$4 or e-mail\$4 or e-lectronic mail\$4 or e-mail\$4 or electronic mail\$4 or e-mail\$4 or electronic mail\$4 or enail\$4 or forward\$4 or receiv\$4 or mail\$4) near\$5(password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (each or specific or all or every or users or participants or other) and (@ad<*20021128*) and (attact\$7) near\$5 (access\$4 or open\$4 or download\$4 or transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) and (user id or user name) same (password) and (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (multiple) near\$6 (users or participants or address\$2	US-PGPUB; USPAT; FPRS; EPC; JPO; DEFWBNT; IBM_TDB	ADJ	ON	2009/05/12 14:07
S41	17	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4 or mail\$9, same (e-mail or electronic mail or email) same ("with" or includ \$4 or send\$4 or transmit\$5 or mail\$5) near5 (creat\$4 or select\$4 or transmit\$5 or mail\$5) near5 (creat\$4 or select\$4 or choos\$4 or setup or set up or input\$2 or enter \$2) near5 (password\$2) and (email\$4 or e-mail\$4 or mail\$4) near\$(password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (each or specified or specific or all or every or upers or participants or other) and (@adc *20021128*) and (attact\$7) near\$ (acces\$4 or open\$4 or download\$4 or forward\$4 or receiv\$4 or mail\$4 or open\$4 or download\$4 or forward\$4 or receiv\$4 or mail\$4 or open\$4 or download\$4 or forward\$4 or receiv\$4 or mail\$4 or receiv\$5 or mail\$4 or receiv\$5 or mail\$4 or receiv\$6 or mail\$6 or receiv\$6 or receiv\$6 or mail\$6 or receiv\$6 or mail\$6 or receiv\$6 or	US-PATUB; US-PAT; PFPS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2009/05/12 14:09

		\$4) and (user id or user name) same (password) and (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail \$4) same (multiple or plural) near\$ (users or participants or address\$2)			***************************************	
\$42	17	(reply\$4 or send\$4 or confirm\$4 or transmit\$5 or forward\$4 or send\$4 or receiv\$4 or mail\$4) same (receiv\$4 or mail\$4) same (receiv\$4 or mail\$4) same (receiv\$4 or send\$4 or transmit\$5 or mail\$5) near5 (creat\$4 or select\$4 or choos\$4 or setup or set up or input\$2 or enter \$2) near5 (password\$2) and (email\$4 or enail\$4 or electronic mail\$4 or email\$4 or electronic mail\$4 or mail\$4 or forward\$4 or receiv\$4 or mail\$4) near5(password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) ame (ach or specific or all or every or users or participants or other) and (@ad<"20021128") and (attach\$7) near5 (access\$4 or open\$4 or download\$4 or transmit\$5 or send\$4 or download\$4 or transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) and (user id or user name) same (password) and (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) and (umiltiple or plural) near5 (users or participants or address\$2 or recepients or receivsts)	US-PG-UB; USPAT; FPRS; EPO; JPO; DEFWIENT; IBM_TDB	ADJ	ON	2009/05/12
S43	104	(email\$4 or e-mail\$4 or electronic mail\$4 or relectronic mail\$4 or mail\$4 or near5 (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (each or specified or all or every or users or participants or other) and (@ad<-20021128") and (dattach*27) near5 (access\$4 or open\$4 or download\$4 or transmit\$5 or send\$4 or mail\$4) and (user id or user name) same (password) and (transmit\$5 or send\$4 or		ADJ	ON	2009/05/12

		forward\$4 or receiv\$4 or mail \$4) same (multiple or plural) near5 (users or participants or address\$2 or recepients or recepeints)		***************************************		***************************************
S44	20	(email\$4 or e-mail\$4 or electronic mail\$4 or electronic mail\$4 or mail\$4) near5 (password\$2) same (transmit\$5 or send\$4 or forward\$4 or reaei\\$4) same (each or specified or s	US-PGPUB; USPAT; FPRS; EPC; JPC; DEFWIENT; IBM_TDB	ADJ	ON	2009/05/12
845	21	(emails4 or e-mails4 or electronic mails4 or electronic mails4 or mails4 or mails4 preserved. Season (transmit55 or send\$4 or forward54 or receiv\$4 or mail \$4) same (each or specific or all or every or users or participants or other) and (@adc+"20021128") and (attach\$7 or file\$2 or image \$2) near\$ (access\$4 or open \$4 or download\$4 or transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (mail) and (user id or user name) same (password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (multiple or plural) near5 (users or participants or address\$2 or recepients or recep		ADJ	ON	2009/05/13

S46	161	(email\$4 or e-mail\$4 or electronic mail\$4 or mail\$4) near5 (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (each or specific or all or every or users or participants or other) and (@adc*20021128*) and (attach\$7 or file\$2 or image \$22 near\$ (access\$4 or open \$4 or download\$4 or transmit \$5 or send\$5 or forward\$4 or receiv\$4 or mail\$4) same (mail) and (user id or user name) same (password) same (transmit \$5 or send\$5 or forward\$4 or receiv\$4 or mail\$4) same (multiple or plural or number) near5 (users or participants or address\$2 or recepients or recepients)	US-PGFUB; USPAT; FPFS; EPC; JPC; DEFWIENT; IBM_TDB	ADJ	ON	2009/05/13 13:12
S47	281	(email\$4 or e-mail\$4 or electronic mail\$4 or mail\$4) near5 (password\$2) same (transmit\$5 or send\$4 or forward\$4 or readi\$4 or forward\$4 or readi\$4 or specific or all or every or users or participants or other) and (@ad-"20021128") and (attach\$7 or file\$2 or image \$2 or link or urs\$2) near5 (access\$4 or open\$4 or readi\$4 or readi\$4 or readi\$4 or readi\$4 or readi\$5 or of mail\$4 or send\$4 or readi\$5 or forward\$4 or receiv\$4 or mail\$4 or send\$5 or send\$5 or forward\$4 or receiv\$4 or mail\$5 or send\$5 or forward\$4 or receiv\$4 or mail\$5 or send\$5 or forward\$4 or receiv\$4 or mail\$6 or send\$5 or forward\$4 or receiv\$6 or multip\$6 or plural or number or specific or designated or list) near5 (users or participants or address\$2 or recepients or recepeints or rierospis)	US-PGPUB; USPAT; FPPS; EPO; JPO; DEFWIENT; IBM_TDB	ADJ	ON .	2009/05/13

S48	296	(email\$4 or e-mail\$4 or electronic mail\$4 or relectronic mail\$4 or mail\$4) near\$ (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) and (@ad<"20021128") and (attach\$7 or file\$2 or image\$2 or link or url\$2) near\$ (access\$4 or open\$4 or download\$4 or transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) same (mail) and (user id or user name) same (password) and (password) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or seent) same (multiple or plural or number or specific or designated or list) near\$ (users or participants or address\$2 or recepients or recepients or recepients or frend\$9	US-PGPUB; USPAT; FPRS; EPC; JPO; DEFWENT; IBM_TDB	ADJ	ON	2009/05/13
S49	996	(password) same (transmit \$5 or send\$4 or forward\$4 or reseiv\$4 or mail\$4 or sent) same (multiple or plural or number or specific or designated or list) near5 (users or participants or address\$2 or recepients or recepeints or friend\$1 and (download\$4 or retreiv\$4) near5(file\$2 or image\$2) same (server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/13 13:36
S50	84	(password) same (transmit \$5 or send\$4 or forward\$4 or reseiv\$4 or mail\$4 or sent) same (multiple or plural or number or specific or designated or list) near5 (users or participants or address\$2 or recepients or recepients or friends) and (download\$4 or retreiv\$4) near5(file\$2 or image\$2) same (server) and (email\$4 or email\$4) near\$ (password\$2) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4) and (mail\$4) NEAP\$ (attach\$6 or uri\$2 or uri\$2)	US-PGPUB; USPAT; FPRS; EPC; JPO; DEFWENT; IBM_TDB	ADJ	ON	2009/05/13

\$51	86	(password) same (transmit \$5 or send\$4 or forward\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) same (multiple or plural or number or specific or designated or list OR different) near5 (users or participants or address\$2 or recepients or recepients or friends) and (download\$4 or retreiv\$4)near5(file\$2 or image\$2) same (server) and (email\$4 or e-mail\$4) near5 (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) near5 (password\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$54) and (mail\$4) NEAP\$ (attach\$6 or uri\$2 or uri\$2)	US-PGPUB; USPAT; FPRS; EPC, JPC; DEFWENT; IBM_TDB	ADJ	ON	2009/05/13 14:06
S52	87	(password) same (transmit \$5 or send\$4 or forward\$4 or forward\$4 or reseiv\$4 or mail\$4 or senit \$1 or reseiv\$6 or mail\$4 or senit \$1 same (multiple or plural or number or specific or designated or list OR different) near5 (users or participants or addresses or recepients or friends) and (download\$6 or retreiv\$4) near5(file\$2 or image\$2 or photo\$2) same (server) and (email\$4 or e-mail\$4 or electronic mail\$4 or mail\$4) near5 (password \$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) and (mail\$5 or send\$6 or forward\$4 or receiv\$4 or mail\$4) and (mail\$5 or send\$6 or forward\$4 or receiv\$6 or mail\$6] and (mail\$6] NEAF5 (attach\$6 or url \$6 or mail\$6] and (mail\$6] NEAF5 (attach\$6 or url \$6 or mail\$6] or mail\$6] and (mail\$6] NEAF5 (attach\$6 or url \$6 or mail\$6] and (mail\$6] NEAF5 (attach\$6 or url \$6 or mail\$6] and (mail\$6] NEAF5 (attach\$6 or url \$6 or mail\$6] and (mail\$6] and (mail\$6] NEAF5 (attach\$6 or url \$6 or mail\$6] and (mail\$6] and (mail\$	US-POPUB; USPAT; FPRS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2009/05/14
S53	67	(password) same (transmit \$5 or send\$4 or forward\$4 or forward\$4 or reseiv\$4 or send\$4 or send\$4 or send\$4 or send\$4 or send\$4 or send\$6 or mail\$5 or send\$6 or mail\$6 or send\$6 or send\$6 or mail\$6 or send\$6 or mail\$6 or send\$6 or send\$6 or or mail\$6 or send\$6 or or mail\$6 or send\$6 or or or mail\$6 or	US-PGP-UB; USPAT; FPPS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2009/05/14

		\$4) NEAR5 (attach\$6 or url \$2 or uri\$2)		***************************************	***************************************	***************************************
854	87	(password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) same (multiple or sent) same (multiple or plural or number or specific or designat\$4 or list OR different) near5 ("users" or "participants" or "addresses" or "recepients" or "friends" and (download\$4 or retreiv \$4)near5(file\$2 or image\$2 or ploture\$2 or mail\$4 or e-mail\$4 or e-lectronic mail\$4 or mail\$4) near5 (password\$2) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) and (mail\$4) NEAP\$ (attach\$6 or uri\$2 or uri\$2)	US-PCP-UB; US-PAT; FPFS; EPO; JPO; DEF-WHENT; IBM_TDB	ADJ	ON	2009/05/14 14:28
S55	87	(password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or seen! same (multiple or plural or number or specific or designat\$4 or list\$4 OR different) near5 ("users" or "participants" or "addresses" or "recepients" or "friends") and (download\$4 or erteriv \$4)near5(file\$2 or image\$2 or picture\$2 or mail\$4 or receiv\$4 or mail\$4 hear\$ (password\$4) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4) and (mail\$4) NAPA\$5 (attach\$6 or uri\$2) or uri\$2)	US-PGPUB; USPAT; FPPS; EPO; JPO; DEBWIENT; IBM_TDB	ADJ	ON	2009/05/14
S56	95	(password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) same (multiple or sent) same (multiple or plural or number or specific or designat\$4 or list\$4 OR different or group) near5 ("users" or "participants" or "addresses" or "recepients" or "friend\$") and (download \$4 or retreiv\$4)near5(file\$2 or imaqe\$2 or picture\$2 or photo\$2) same (server) and (email\$4 or e-mail\$4 or mail\$4)	US-PGPUB; USPAT; FPFS; EPC; JPC; DERWENT; IBM_TDB	ADJ	ON	2009/05/14 14:43

		near5 (password\$2) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail \$4) and (mail\$4) NEAR5 (attach\$6 or url\$2 or uri\$2)		***************************************	***************************************	
987	75	(password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) same (multiple or plural or number or specific or designat\$4 or list\$4 OR different or group) near5 ("users" or "participants" or "riends") and (download \$4 or retreiv\$4)near5(file\$2 or image\$2 or picture\$2 or photo\$2) same (server) and (email\$4 or enail\$4 or enail\$4 or enail\$4 or mail\$4 or mail\$4 or mail\$4 or mail\$4 or mail\$5 or send\$4 or forward\$4 or receiv\$4 or receiv\$4 or mail\$4) near5 (password\$2) same (user id attach\$6 or uri\$2 or uri\$2) and (password) same (user id or user identification or user name)	US-PCP-UB; US-PAT; FPFS; EPO; JPO; DEFWIENT; IBM_TDB	ADJ	ON	2009/05/14 15:07
3588	75	(password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or send\$1 same (multiple or plural or number or specific or designat\$4 or list\$4 OR different or group or similtanously) near5 ("users" or "participants" or "addresses" or "recepients" or "friends") and (download \$4 or retriev\$4) near5 (files\$2 or image\$2 or picture\$2 or mail\$4 or e-mail\$4 or e-mail\$4 or e-mail\$4 or e-mail\$4 or e-mail\$5 or send\$4 or toward\$4 or freeiv\$5 or send\$4 or download\$1 or receiv\$4 or mail\$4) and (mail\$4) NEAP5 (attach\$6 or ur\$2 or ur\$2) and (password) same (user id or user identification or user alme)	US-PCP-UB; US-PAT; FPRS; EPC; JPC; DEF-WANT; IBM_TDB	ADJ	ON	2009/05/14 15:34

S59	75	(password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) same (multiple or plural or number or specific or designat\$4 or list\$4 CR different or group or similtanously) near5 ("users" or "participants" or "addresses" or "recepients" or "friends" or "parties") and (download\$4 or erteiv\$4) near5(file\$2 or image\$2 or picture\$2 or photo\$2) same (server) and (email\$4 or electronic mail\$4 or electronic mail\$4 or electronic mail\$4 or mail\$4] near5 (password \$2) same (transmit\$5 or send\$4 or mail\$4] near6 (mail\$4 or electronic mail\$5 or mail\$4] NEAR5 (attach\$6 or url \$2\$) same (transmit\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4] and (mail\$4] NEAR5 (attach\$6 or url \$2\$ or uri\$2) and (password) same (user id or user identification or user name)	US-PGP-UB; USPAT; FPRS; EPC; JPC; DEFW/BNT; IBM_TDB	ADJ	ON	2009/05/14 15:35
S60	30	(password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) near5 (multiple or plural or unber or specific or designat\$4 or list\$4 OR different or group or similtanously) near5 ("users" or "participants" or "addresses" or "recepients" or "friends" or "parties") and (download\$4 or erteriv\$4) near5(file\$2 or image\$2 or picture\$2 or photos\$2) same (server) and (email\$4 or electronic mail\$4 or mail\$4) near5 (password \$2) same (transmit\$5 or send\$4 or mail\$4) and (mail\$4) NEAR5 (attach\$6 or ur send\$4 or mail\$4) and (mail\$4) NEAR5 (attach\$6 or ur send\$4 or forward\$4 or receiv\$4 or mail\$4) and (mail\$4) NEAR5 (attach\$6 or ur send\$4 or forward\$4 or receiv\$4 or mail\$4) and (mail\$4) means (user id or user identification or user name)	US-PGPUB; USPAT; FPRS; EPC; JPC; DEFWENT; IBM_TDB	ADJ	ON	2009/05/14 15:52

\$61	11	(password) same (transmit \$5 or send\$4 or forward\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) near\$ (multiple or plural or number or specific or designat\$4 or list\$4 OR different or group or similtanousiy) near\$ ("users" or "participants" or "raddresses" or "recepients" or "friends" or "parties") and (download\$4 or retriev\$4) (attach\$6 or image\$2 or picture\$2 or photo\$2) same (server) and (email\$4 or electronic mail\$4 or mail\$4) near\$ (password) same (user id or user identification or user name)	US-PGPUB; USPAT; FPRS; EPO; JPO; DEFWBNT; IBM_TDB	ADJ		2009/05/16 18:16
\$62	11	(password) same (transmit \$5 or send\$4 or forward\$4 or neeiv\$4 or mail\$4 or sent) near5 (multiple or plural or number or specific or designat\$4 or list\$4 OR different or group or similtanously or various) near5 ("users" or "participants" or "addresses" or "recepients" or "friends" or "parties") and (download \$4 or retreiv\$4) (attach\$6 or image\$2 or picture\$2 or photo\$2) same (server) and (email\$4 or e-mail\$4 or electronic mail\$4 or mail\$4 or electronic mail\$4 or was for mail\$4 or user identification or user name)	US-PAT-US; USPAT; FFPS; EPO, JPO; DEFWENT; IBM_TDB	AOJ	ON	2009/05/16 18:27
S63	2348	(password) same (transmit \$5 or send\$4 or forward\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) near\$ (multiple or plural or number or specific or designat\$4 or list\$4 OR different or group or similtanously or various) near\$ ("user\$s" or "participants" or "addresses" or "recepients" or "friend\$" or "parties") and (download \$4 or retreiv\$4 or attach\$6 or image\$2 or picture\$2 or photo\$2) same (server)	US-PGPUB; USPAT; PPPS; EPC; JPO; DEFWENT; IBM_TDB	ADJ	ON	2009/05/17 12:22

964	450	(password) same (transmit \$5 or send\$4 or forward\$4 or rocavard\$4 or receiv\$4 or mail\$4 or sent) near5 (multiple or plural or number or specific or designat\$4 or list\$4 OR different or group or similtanously or various) near5 ("tsest" or "recepients" or "friends" or "participants" or "addresses" or "recepients" or "friends" or "participants" or "addresses" or "retreiv\$4 or attach\$6 or image\$2 or picture\$2 or photo\$2) same (server) and (email\$4 or e-mail\$4 or mail\$4) near5 (password\$2) and (password) same (user id or user identification or user name)	US-PCPUB; USPAT; FPRS; EPC; JPC; DETWENT; IBM_TDB	ADJ	ON	2009/05/17 12:23
965	211	(password) same (transmit \$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) near5 (multiple or plural or number or specific or designat\$4 or list\$4 OR different or group or similtanously or various) near5 ("users" or "participants" or "addresses" or "peopients" or "friends" or "parties") and (download \$4 or retreiv\$4 or attach\$6 or image\$2 or picture\$2 or photo\$2) same (server) and (email\$4 or email\$4 or email\$4 or email\$4 or email\$4 or mail\$4 or email\$4 or email\$4 or email\$4 or email\$4 or email\$4 or mail\$4 or mai	US-PGPUB; USPAT; FPPS; EPC; JPC; DEFWENT; IBM_TDB	ADJ	ÖN	2009/05/17 12:23

66 222	\$5 or send\$4 or forward\$4 or receiv\$4 or mail\$4 or sent) near5 (multiple or plural or	EPO; JPO;	ADJ	ON	2009/05/17
--------	--	-----------	-----	----	------------

5/18/2009 2:34:10 PM

C:\ Documents and Settings\ gsmarth\ My Documents\ EAST\ Workspaces\ 10611962-PrintServicesystem1.pts.wsp